

Warszawa 29.08.2024

TDS FILE

myMEDIA 3143 Frontlit Eco 440g

SAP CODE: MY3143*

PRODUCT DESCRIPTION:

Laminated Banner with matt surface for short term application

PRINTING METHOD:

ECO SOLVENT, HARD SOLVENT, UV and LATEX inks

PROPERTIES	TEST METHOD	METRIC / IMPERIAL
Total weight	DIN EN ISO 2286-2	440gsm +/- 15
Base fabric	100% poliester DIN ISO 2060	Denier/fd per inch 500x300 18x12
Tensile Strength	longitude/latitude DIN ISO 1421	700/650 N/5cm
Tearing Strength	longitude/latitude DIN EN ISO 53363	110/100 N
Adhesion Strength	DIN 53357	60 N/5cm
Temperature Resistance	DIN 1876-1 IVK/Pkt.5	-30 up to +70°C
Width Available	DIN EN ISO 3759, ASTM D751	Max 500cm,
Standard Length	DIN EN ISO 3759, ASTM D751	50m, 55yds