

Warszawa 29.08.2024

TDS FILE

myMEDIA 3151 Frontlit Eco HD 510g

SAP CODE: MY3151*

PRODUCT DESCRIPTION:

Laminated Banner with strong yarn for short term application

PRINTING METHOD:

ECO SOLVENT, HARD SOLVENT, UV and LATEX inks

PROPERTIES	TEST METHOD	METRIC / IMPERIAL
Total weight	DIN EN ISO 2286-2	510gsm +/- 15
Base fabric	100% poliester DIN ISO 2060	Denier/fd per inch 1000x1000 9x9
Tensile Strength	longitude/latitude DIN EN ISO 1421	1250/1250 N/5cm
Tearing Strength	longitude/latitude DIN EN ISO 53363	280/220 N
Adhesion Strength	DIN 53357	60 N/5cm
Temperature Resistance	DIN 1876-1 IVK/Pkt.5	-30 up to +70°C
Width Available	DIN EN ISO 3759, ASTM D751	Max 500cm,
Standard Length	DIN EN ISO 3759, ASTM D751	50m, 55yds